Simplicity

OWNER'S Manual


42" GRADER BLADE MFG. NO. 700.

SIMPLICITY MANUFACTURING COMPANY, INC.




SER. FORM - OP31 LITHO IN U.S.A.

1340



If increased weight is needed to level or move hard ground, you may rest your feet on the top of the blade and apply pressure as necessary.

Occasionally, place a few drops of light engine oil on all pivot points. The useful life of the blade is doubled by reversing it. Simply remove the two blade mounting bolts, turn the blade upside down and re-install the bolts.



Ref. No.	Part No.	Qty. Req.	Description
L	107056	1	Grader Blade
2	107057	2	Link
2 5 1 5 . 5 7	705056	2	Hex Capscrew, 5/8"-11 x 3" lq.
1	720005	2	Lock Washer, 5/8"
5	717004	2	Hex Nut, Full, 5/8"-11
5	121210	2	Washer
	107031	1	Chain
3	705005	1	Hex Capscrew,
			3/8"-16 x 1-1/4" lg.
)	719001	1 1	Plain Washer, 3/8"
)	720002		Lock Washer, 3/8"
-	717003	1	Hex Nut, Full, 3/8"-16
3	108199	2	Link
3	705005	1	Hex Capscrew,
			3/8"-16 x 1" lg.
ŀ	717510	1	Hex Nut, Full, Lock, 3/8"-16
;	153058	1	Pin
,	8161045	1	Spring Clip

Ref.	Part	Qty.	Description
No.	No.	Req.	
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	107058 705056 720005 717004 8181008 8021024 107062 118053 106788 108551 159134 717530 719002 720001 702008	1 1 1 1 2 2 1 1 2 1	Hitch Assembly Hex Capscrew, 5/8"-16 x 3" lg. Lock Washer, 5/8" Hex Nut, Full, 5/8"-16 Pin Spring Clip Draw Bar Assembly Pin Spring Clip Hook Nylon Washer Hex Nut, Jam, 5/16"-18 Plain Washer, 5/16" Lock Washer, 5/16" Carriage Bolt, 5/16"-18 x 1-1/4" lg. Bracket Assy. I.D.Plate No.